

Package: landr (via r-universe)

August 24, 2024

Title Add land polygons to ggplot2 maps

Version 0.0.2

Description Add land polygons to ggplot2 maps.

License `use_mit_license()`

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports sf, ggplot2, memoise, glue

URL <https://github.com/pieterprovoost/landr>

Repository <https://pieterprovoost.r-universe.dev>

RemoteUrl <https://github.com/pieterprovoost/landr>

RemoteRef HEAD

RemoteSha 4e4d96aae50561e478a0efc77d771a565f231f2f

Contents

geom_landr	1
get_land_polygons	2
landr	2

Index	3
--------------	---

geom_landr	<i>This geom adds land polygons from OpenStreetMap to ggplot2 maps.</i>
------------	---

Description

This geom adds land polygons from OpenStreetMap to ggplot2 maps.

Usage

```
geom_landr(after = 0, simplified = FALSE)
```

Arguments

- `simplified` return simplified polygons.
`after` index of the layer after which the land polygons should be added. Set to 0 to add at the bottom.
-

`get_land_polygons` *Load land polygons from OpenStreetMap.*

Description

Load land polygons from OpenStreetMap.

Usage

```
get_land_polygons(simplified = FALSE)
```

Arguments

- `simplified` return simplified polygons.
-

`landr` *Add land polygons to ggplot2 maps*

Description

This package adds land polygons from OpenStreetMap to ggplot2 maps.

Author(s)

Pieter Provoost, <pieterprovoost@gmail.com>

Index

geom_landr, [1](#)

get_land_polygons, [2](#)

landr, [2](#)